




# EVOLE









#### **Technical** features

#### Replaceable bars:

Anodised Aluminium double grooves



### Replaceable panels: PVC cover 650 g/m<sup>2</sup>

Anti-UV and anti-fungal treated

#### Average cover weight:

1350 g/m<sup>2</sup>

#### Fixings on widths:

For safety: stainless steel pawls, straps with stainless steel buckles and retractable anchor bolts (quick and

Optional: quick-release and adjustable fastening systems, wind and snow kits (see p38 of Walter Brochure)

#### Unroll system:

50 m<sup>2</sup>)

RollPower

children under 5 years old.

substitute for common sense and individual responsability. It doesn't replace an adult watch, which remains the most essential mean of protection for young children.

# About the product

Whether your pool is rectangular or special shaped, with or without stairs, WaluCover EVOLE will perfectly fit to your pool. Panels and aluminum tubes are interchangeable and can be replaced individually on site if an issue occurs. Following security guidelines while maintaining an sleek look. Patent created by WALTER.



For all pool

Ladder and filter

bloc compatible



Integrated

stair flap



Cover overlap

and free shapes are possible with angled edges



Separate stair flap

# With unrolling strap

### Roll-up system: Manual crank (two cranks on pool over

# Motorisation (option):

Pool safety cover designed to protect

Warning: This cover is not a





POOL SAFETY BAR COVERS WITH INTERCHANGEABLE PANELS

# EVOLE

# PVC cover colours

### Opaque (650g/m<sup>2</sup>)

Slows down algae developement. Available in 7 different colours The PVC reverse side colour is Sand (except for Light grey and Midnight blue) which avoids bleaching over the coping.


















# • points of this model









Winding crank

Unwinding strap

# Handling of the cover

Covers are delivered with their winding crank (two cranks for pools over 50 m<sup>2</sup>) and their unwinding strap.

crank winding: 1 person in less than 3 minutes (or 2 persons for pools over 50 m<sup>2</sup>)

unwinding strap: Pulling, securing, fastening in less than 3



## Available options & accessoires

Option	Perks if chosen
WINDSAFE SYSTEM*: anti-lifting and anti-leaves straps	No drilling necessary on lengths
Eyelet kit + cabiclic	No drilling necessary on lengths
Aluminium replacement profile for coping, cut to size with polyamide end pieces (required for stairs located on the length of the pool)	replaces the curbstone to allow the roll-up
Flap for stairs (rectangular shape)	Adaptation to the shape of the pool
Cut-out for ladder or filtering unit (only on the width of the cover)	optimal and safe cutting
Quick Fastening System* for safety cover for pools <b>without</b> ladder/stairs	Eases daily handling
Quick Fastening System* for safety cover for pools <b>with</b> ladder or stairs	Eases daily handling
Adjustable fastener	Allows to be fixed at requested distance
Accessories	Perks if chosen
Wind Pro 1 set (for pools <6m long)	windproof solution
Wind Pro 2 set (for pools >6m long)	requiring only 1 or 2 holes on each length
RollPower motorisation, sold seperatly from the cover (for pools up to 11 x 5 m) $$	Allows for an effortless winding
Guiding wheel for winding crank	Eases the winding and protects the flooring



### **ROLLPOWER**

#### **Optional**

When rolling up your bar cover becomes so easy! Effortlessly and in less than 3 minutes (for a 9 x 4.50 m pool). Robust and stable thanks to its large diameter wheels. At the end of winding, the "Reverse" function allows ROLLPOWER to be easily released.



Walter Pool develops, produces and sells a wide range of swimming pool covers, mainly in Europe.

The production plant is based in Brumath in Alsace (France). The company has been active since 1992 and since 2020 has been part of the TSPH family industrial group, leader in the swimming pool market in **Europe**.

Walter Pool provides mobile terraces as well as pool accessories.





Keep this document for future reference



