




AQBoX

Swimming pool enclosures from stock



FLAT (A CLASS - Thermo)



Type	A3	A4	A5
Height (m)	0,70	0,85	1,05
Width (outside) (m)	4,10	5,25	6,35
Width (inside) (m)	3,78	4,79	5,74
Segment number	3 parts	4 parts	5 parts
Length (m)	6,70	8,70	10,70 m
Glazing	PC* 6 mm	PC 6 mm	PC 6 mm



* PC = polycarbonate

BOX SIZES:

Type	A3	A4	A5
Height (m)	1,35	1,35	1,35
Width (m)	4,60	5,70	6,50
Depth (m)	0,41	0,42	0,50
Weight (kg)	235	390	580



FLAT (A CLASS - Clear)



Type	A3	A4	A5
Height (m)	0,70	0,85	1,05
Width (outside) (m)	4,10	5,25	6,35
Width (inside) (m)	3,78	4,79	5,74
Segment number	3 parts	4 parts	5 parts
Length (m)	6,70	8,70	10,70 m
Glazing	SAN* 3 mm	SAN 3 mm	SAN 3 mm



*SAN = styrol-acryl-nitrite

BOX SIZES:

Type	A3	A4	A5
Height (m)	1,35	1,35	1,35
Width (m)	4,60	5,70	6,50
Depth (m)	0,41	0,42	0,50
Weight (kg)	250	415	685

AQ Box enclosures come in 3 different sizes with 2 different glazing and can be ordered all year long from stock. The parts are placed inside a wooden box together with the assembly manual that ensures easy DIY assembly. One truck can fit about 10-15 boxes at the time.

STANDARD (M CLASS - Thermo)




Type	M3	M4	M5
Height (m)	1,12	1,43	1,79
Width (outside) (m)	4,10	5,25	6,35
Width (inside) (m)	3,78	4,79	5,74
Segment number	3 parts	4 parts	5 parts
Length (m)	6,70	8,70	10,70
Glazing	PC* 6 mm	PC 6 mm	PC 6 mm



* PC = polycarbonate

BOX SIZES:

Type	M3	M4	M5
Height (m)	1,35	1,60	2,00
Width (m)	4,90	6,30	6,50
Depth (m)	0,41	0,42	0,53
Weight (kg)	300	520	740



STANDARD (M CLASS - Clear)



Type	M3	M4	M5
Height (m)	1,12	1,43	1,79
Width (outside) (m)	4,10	5,25	6,35
Width (inside) (m)	3,78	4,79	5,74
Segment number	3 parts	4 parts	5 parts
Length (m)	6,70	8,70	10,70
Glazing	SAN* 3mm	SAN 3 mm	SAN 3 mm

*SAN = styrol-acryl-nitrite

BOX SIZES:

Type	M3	M4	M5
Height (m)	1,35	1,60	2,00
Width (m)	4,90	6,30	6,50
Depth (m)	0,41	0,42	0,53
Weight (kg)	340	530	845



TECHNICAL FEATURES

RAILS

The 20 mm tall rails that are secured to the ground ensure easy gliding of the segments as well as the steel wind hooks provide permanent wind and storm protection.

SEGMENT RUBBER

High quality silicone rubber provides great insulation between the segments. It only touches the segments when they are in a closed position this way avoiding any kind of damages resulting from the segments' movements.

ROUNDED PROFILES

The enclosure parts are produced of elegant, rounded anodized aluminum alloy profiles developed and patented by Aquacomet.

PLASTIC END CAPS

The horizontal profiles, which collect all the arches, include aesthetic plastic molded end caps that are also designed to accommodate the special arrest system.

SEGMENT POSITIONING

Aquacomet developed special arrest system is installed in the AQ box enclosures that ensure child safe and easy locking of the segments when they are out of use.

GLAZING



GLAZING

Both types of AQ box enclosures' glazing panels, 6mm double wall Polycarbonate or 3 mm SAN solid, are UV protected on both sides.



FRONT AND END WALLS

AQ box FLAT enclosures come with removable front and back walls – both in one piece – with side mounted sliding doors while the AQ box STANDARD enclosures are featured with removable – in 3 parts – front wall, including a French door in the middle, and a removable – in one piece – end wall.




CHILD PROTECTION – SEGMENT LOCKING



WE INSTALL OUR AQ BOX ENCLOSURES WITH A STATE-OF-ART, VERY SAFE ORIENTING-LOCKING SYSTEM THAT INCLUDES A UNIQUE DESIGN KEY.

This multi functional lock was designed and produced by Aquacomet therefore it is patented. The innovative solution provides positioning and securing on the rails as well as ensures child safe locking.





YOUR PARTNER:

